10 YEARS WARRANTY

KLUDI
RAK



Bathroom & Kitchen Fittings

2026



KLUDI
RAK

CONTENTS

PROFILE STAR	12 - 15
PASSION STAR	16 - 21
PACIFIC	22 - 27
PROJECT	34 - 37
PEARL	38 - 43
POLARIS	44 - 47
PEAK STAR	48 - 55
PIVOT	56 - 63
PREMIER X	64 - 65
SELF CLOSING	66 - 71
SINK MIXER	72 - 73
SHOWERS	74 - 79
ACCESSORIES	80 - 103
STAINLESS STEEL FITTINGS	104 - 125

KLUDI
RAK

KLUDI RAK is a limited liability company founded in 2007 as a joint venture between the high profile German bathroom and kitchen fittings manufacturer KLUDI and RAK Ceramics - one of the world's largest ceramic manufacturers.

KLUDI RAK is headquartered in the Emirate of Ras Al Khaimah and manufactures high quality bathroom fittings with timeless and modern design. Combined with the best German technology and quality ensuring processes, modern European machines and proven understanding of the local market, KLUDI RAK provides long lasting bathroom fittings - which satisfy many customers in the Middle East, South Asia and Africa. In order to constantly guarantee the high standards of our products, we use components that are carefully selected and sourced from well-established European suppliers. Additionally, every piece leaving our factory is controlled by very well trained, highly skilled and experienced employees to ensure a German quality standard.





UPHOLDING
THE HERITAGE
OF QUALITY
SINCE
1926

The humble origins of a successful business conglomerate - KLUDI dates back to 1926, where the concept of quality and sustainable bath fittings for the user's comfort and convenience took shape in a production workshop in Germany. The idea evolved from KLUDI's core mission, to make every household innovative and add value to the lives of people in the community.

KLUDI are the experts in bathroom and kitchen fittings and total bathroom solutions. With 100 years of experience in the design of fittings, the design experts blend shape and function to create a spectrum of precision-perfect products. KLUDI's exclusive product portfolio of fittings is unique in design and conserves water & energy. Reputed for their aesthetic styles, functionality and sustainable features, KLUDI fittings continue to be a source of inspiration even today.

To cater to the quality-conscious customers in the United Arab Emirates and the Middle East and their requirements for elegant and functional quality fittings, RAK Ceramics, the world's largest ceramic manufacturer in collaboration with KLUDI Germany, the world-leaders in mixers, showers and accessories established KLUDI RAK in the Emirate of Ras Al Khaimah.

Together with KLUDI RAK's 15 years of regional expertise, skilled craftsmen, a manufacturing unit equipped with advanced European technology and backed by KLUDI's 10 decades of expertise in kitchen and bath fittings, KLUDI RAK has all the strengths combined to design and manufacture premium water-efficient products that are durable and consistent in quality

KLUDI RAK fittings are the preferred product of choice for commercial, industrial, residential sectors and hospitality across UAE. Moreover are recommended by architects, interior decorators and project planners. KLUDI RAK is thus poised to offer top-notch kitchen and bathroom products to its valued customers in UAE and the Middle East.



















الإمـــارات
The Emirates

PERFECTING PRECISION

FITTINGS THROUGH TECHNOLOGY



1. KLUDI RAK uses Brass as per European Drinking water standard.
2. KLUDI RAK maintains a 3-layer plating thickness of Semi bright Nickel, bright Nickel and Chrome - measuring minimum 12.3 microns
3. KLUDI RAK LONG LIFE TECHNOLOGY
   These special Ceramic cartridges have an effortless movement that fulfill the endurance tests under EN817 with 210,000 cycles without any damage
4. Plastic parts which are in accordance to KTW/W270, WRAS, KIWA and DVGW approvals
5. The aerator innovative solutions for drinking water regulate flow rates and protect water from contamination and reduce water consumption
6. The Flex Hose outer stainless steel braiding and the inside Pex Tube ensure hygiene safety conforming with DVGW KIWA/ CSTB/WRAS certificates



QUALITY REFLECTS IN EVERY DETAIL

Makers of beautifully crafted, high quality kitchen and bathroom products KLUDI RAK is a brand to reckon with. Strategically located in the Emirate of Ras Al Khaimah, KLUDI RAK upholds the brand promise by consistently delivering top-grade products to its loyal customers.

Accredited with various certifications for quality, conformity and promoting sustainability, the state-of-the-art manufacturing plant of KLUDI RAK integrates the latest European technical innovations in its development process, while adhering to sustainable practices by creating energy and water saving products, besides having superior quality raw materials procured from Europe to maintain consistency in the quality of the products at all times; ultimately, the finest range of bathroom and products are directly supplied from the KLUDI RAK factory across GCC, the Middle East, Africa and Indian subcontinent.



SAVE WATER FOR FUTURE GENERATIONS



ADDED ADVANTAGES

- Maximum lime resistance.
- Maximum lifespan.
- Perfect stream quality even under different flow conditions.
- Very low noise level.
- Damage proof: unlike Conventional wire mesh screens, it can't be crushed.
- Integrated anti clogging dome screen -which filters sediments and particles.
- Constant flow rate as per requirements can be achieved irrespective of input pressure.

75% SAVE UP TO OF TAP WATER



70490198

Water saver for Hand Shower, Over Head Shower & Shataff ~8 L /min.



70490298

Water saver for public area Basin Mixer, Sink Mixer & Ablution Tap: ~1 .4 L /min



70490398

Water saver for public area Basin Mixer, Sink Mixer & Ablution Tap: ~1 .4 L /min.



70490498

Water saver for Basin Mixer, Sink Mixer & Ablution Tap: ~1.9 L / min.



70490598

Water saver for Hand Shower, Over Head Shower & Shataff ~3.8 L /min.



70490698

Water saver for Hand Shower, Over Head Shower & Shataff ~3.8 L /min.



70490798

Water saver for Hand Shower, Over Head Shower & Shataff ~5.7 L /min.



70490898

Water saver for Hand Shower, Over Head Shower & Shataff ~5.7 L /min.

** Refer to the Page Number 146 for Flow Rate requirement

PROFILE STAR

PICTURE PERFECT MATCH FOR THE DISCERNING

The Profile star collection is a perfect match for your choice of style and convenience.


The KLUDI RAK Profile collection showcases well-defined perfect bath fittings that match the taste of every discerning customer. Geometric contours and accented facets are the primary inspirational elements featured in the Profile star series. Ergonomically designed with excellent quality craftsmanship, the handle of the faucet reflect a cubic shape with rounded edges lent it a unique visual appeal.

Available Finishes

GOLD

BRONZE

GUN METAL




PROFILE STAR



RAK14100

Single lever basin mixer DN 15
ceramic cartridge-K35
cache aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European standard - EN 817

Available Finishes






RAK14124

Concealed 2-hole single lever basin mixer
trim set aerator M 24 x 1
flow class Z
wall outlet 230 mm
without pre-installation
kit item no. RAK38243

Available Finishes






RAK14160

Single lever basin mixer XL DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817


Available Finishes





RAK38243

Pre installation kit DN 15






RAK14161

Single lever basin mixer XL HR DN 15
ceramic cartridge-K35
aerator M 24 x 1
1/2" high pressure flexible hose with PEX
tubes European standard - EN 817

Available Finishes






RAK14101

Single lever bidet mixer DN 15
ceramic cartridge-K35
ball joint cache aerator M 18.5 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 ¼ inch
European Standard - EN 817

Available Finishes



** Refer to the Page Number 146 for Flow Rate requirement


PROFILE STAR



RAK14102

Single lever bath & shower mixer DN 15
without shower set
ceramic cartridge-K41
S-pointer aerator M 24 X 1
flow class CB
automatic diverter: shower to bathtub
shower outlet G 1/2”
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817

Available Finishes






RAK14105

Single lever shower mixer DN 15
ceramic cartridge-K41
flow class B
shower outlet G 1/2”
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817

Available Finishes






RAK14114

Single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (360°) rectangular
spout l = 230 mm
PCA aerator M 24 x 1
flexible high pressure supply
tubes 1/2 inch
European standard- EN 817

Available Finishes





Available Finishes

RAK14176

Concealed single lever Bath & Shower Mixer trim set

RAK38737
Pre-installation kit DN 15



Available Finishes

RAK14179

Concealed single-lever shower mixer trim set

RAK38828
Pre-installation kit DN 15



** Refer to the Page Number 146 for Flow Rate requirement

PASSION STAR

CLASSIC STYLE WITH ENHANCED FLEXIBILITY

A flawless synergy of geometric shapes that blends with all bathroom styles, mixers from the Passion is designed to offer maximum flexibility. The shower fittings have a sleek and flat hand-held shower that releases gentle & steady flow of water similar to the falling rain. Furthermore showering becomes an invigorating experience. The Kitchen mixer comes with a spout that can revolve 360 degrees, creating ample space within the sink.

Available Finishes

GOLD

BRONZE

GUN METAL






RAK13200

Single Lever Basin Mixer DN 15
ceramic cartridge-K35
cache aerator M 24 x 1
1/2"high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817

Available Finishes






RAK13260

Single lever basin mixer XL DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible
hose with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817

Available Finishes






RAK13261

single lever basin mixer XL HR DN 15
ceramic cartridge-K35
aerator M 24 x 1
1/2" high pressure flexible
hose with PEX tubes
European standard - EN 817

Available Finishes



** Refer to the Page Number 146 for Flow Rate requirement




RAK13270

floor standing Mixer
for free standing wash basin
single lever basin mixer DN 15,
ceramic cartridge with hot
water safety device
PCA aerator M 24 X 1

Available Finishes

88088


Concealed unit body
for free standing
wash basin





RAK13272


floor standing Mixer
for free standing bath tubs
single lever bath and shower mixer DN 15
floor standing for free standing bath tubs
solid lever
ceramic cartridge with hot water safety device
aerator M 24 x 1, flow class C
automatic diverter: shower to bath tub
shower connection 1/2 inch
protected against backflow
fixed spout
1 S hand shower DN15
with shower holder
S.S shower hose 1/2 x 1/2 x 1500 mm
without pre-installation set for free standing bath/shower mixer
KLUDI FLEXX.BOXX DN20 item no. 88088





RAK13224

Concealed 2-hole single lever basin mixer trim set
aerator M 24 x 1
flow class Z
wall outlet 230 mm
without pre-installation kit item no. RAK38243




Available Finishes

RAK38243
Pre installation kit DN 15



RAK13212


Single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (360°) spout l = 210 mm
PCA cache aerator M 16.5 x 1
1/2" high pressure flexible hose
with PEX tubes
European Standard- EN 817





RAK13202

Single lever bath & shower mixer DN 15
without shower set
ceramic cartridge-K41
aerator M 24 X 1
flow class CB
automatic diverter: shower to bathtub
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817




Available Finishes



RAK13202

Single lever bath & shower mixer DN 15 (Top Lever)
without shower set
ceramic cartridge-K35
aerator M 24 X 1
flow class CB
automatic diverter: shower to bathtub
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817



Available Finishes

Available Finishes

RAK13276

Concealed single lever Bath & Shower Mixer trim set

RAK38737
Pre-installation kit DN 15

** Refer to the Page Number 146 for Flow Rate requirement

PACIFIC

A MODISH DESIGN THAT STANDS OUT AT EVERY ANGLE

Inspired by the immensely popular Profile series, Pacific offers a unique squarish geometry feel by blending modish design with ergonomic functionalities. Pacific is ideal for those who require precision-perfect surface at every angle.

Available Finishes










RAK38000-09

Single lever basin mixer DN 15
Ceramic cartridge - K35
PCA aerator M 24 X 1
1/2” high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European standard EN 817

Available Finishes






RAK38060

single lever basin mixer DN 15
ceramic cartridge with hot water
safety device aerator M 24 x 1
flexible high pressure supply tubes
1/2” rapid
installation set
pop up waste 1 1/4 inch
in accordance to EN 817
Pressure Compensating Aerator

Available Finishes






RAK38000-87

Single lever bath and shower mixer DN 15
Ceramic cartridge -K35
without shower set
PCA aerator M 24 X 1
flow class CB
automatic diverter shower to bathtub
shower outlet G 1/2”
protected against back flow
S-unions 1/2 x 3/4 inch
European standard - EN 817

Available Finishes






RAK38001

Single lever bidet mixer DN 15
Ceramic cartridge - K35
PCA cache aerator M 16.5 X 1
1/2” high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European standard EN 817

Available Finishes




** Refer to the Page Number 146 for Flow Rate requirement



RAK38061

Single lever XL basin mixer with raised
base DN 15
ceramic cartridge
with hot water safety device
PCA aerator M24 x 1
flexible high pressure supply tubes 1/2 inch
rapid installation set
in accordance to EN 817

Available Finishes






RAK38004

Single lever side sink mixer DN 15
Ceramic cartridge - K35
PCA aerator M 24 x 1
1/2” high pressure
flexible hose with PEX tubes
European standard EN 817

Available Finishes





Available Finishes

RAK38076

Concealed single lever bath
and shower -mixer trim set

RAK38737
Pre-installation kit DN 15



Available Finishes

RAK38079

Concealed single lever
shower mixer trim set

RAK38828
Pre-installation kit DN 15

PROJECT

SOPHISTICATED CRAFTSMANSHIP WITH QUALITY FINISH


The Project range is characterised by smooth flowing contours with rounded edges that makes it compatible with all bathroom styles. These mixers sport superior grade chrome surface and are made of excellent quality ceramic cartridge that guarantees durability and functionality.

For discerning customers who seek top-grade fittings at an affordable cost, the Project collection of mixers fits the bill perfectly.



RAK11000


Single lever basin mixer DN 15
ceramic cartridge K-35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817





RAK11002


Single lever bath & shower mixer DN 15
without shower set
ceramic cartridge-K35
aerator M 24 X 1
flow class CB
automatic diverter: shower to bathtub
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817





RAK11060


Single lever basin mixer XL DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817





RAK11005


Single lever shower mixer DN 15
ceramic cartridge-K35
flow class B
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817





RAK11001

Single lever bidet mixer DN 15
ceramic cartridge-K35
ball joint aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - to EN 817





RAK11076

Concealed single lever Bath & Shower Mixer trim set

RAK38737
Pre-installation kit DN 15



RAK11079

Concealed single-lever shower mixer trim set

RAK38828
Pre-installation kit DN 15

** Refer to the Page Number 146 for Flow Rate requirement


PEARL

Extravagant and yet natural at the same time - that is the beauty of Pearl. These highly contemporary fittings provide a winning combination of innovative technology and cascade aerator. The cascade aerator in both basin and bath resembles the natural flow of water in the wild.



RAK17000


Single lever basin mixer DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard- EN 817





RAK17060


Single lever basin mixer XL DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817





RAK17061


single lever basin mixer XL HR DN 15
ceramic cartridge-K35
aerator M 24 x 1
1/2" high pressure flexible hose with
PEX tubes European standard - EN 817





RAK17001

Single lever bidet mixer DN 15
ceramic cartridge-K35
ball joint aerator M 24 x 1
1/2" high pressure flexible
hose with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817




** Refer to the Page Number 146 for Flow Rate requirement



RAK17002


Single lever bath & shower mixer DN 15
without shower set
ceramic cartridge-K35
aerator M 24 X 1
flow class CB
automatic diverter: shower to bathtub
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817





RAK17003

Single lever shower mixer DN 15
ceramic cartridge-K35
flow class B
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817






RAK17050

Single lever sink mixer DN 15
ceramic cartridge-K35
PCA aerator M 22 x 1
swivelling U spout
1/2" high pressure flexible hose
with PEX tubes
European Standard EN 817

Available Finishes





RAK17076

Concealed single-lever bath &
shower mixer trim set

RAK38737
Pre-installation kit DN 15



RAK17079

Concealed single-lever shower
mixer trim set

RAK38828
Pre-installation kit DN 15

POLARIS

DISTINCTIVE DESIGNS THAT IS TRULY AFFORDABLE

The Polaris range of classic and elegantly crafted mixers is functional at its best. These bathroom and kitchen products are innovatively designed with exceptional finish to suit your contemporary lifestyle. Combined with world class quality and detailed craftsmanship, this series offer functionality and high quality fittings that blend well with both the bathroom and kitchen décor.


The Polaris array of bath & kitchen mixers is worth investing in every household, as they are durable, easy to use and offer excellent value for money.

POLARIS



RAK10000


Single lever basin mixer DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard- EN 817





RAK10061


single lever basin mixer XL HR DN 15
ceramic cartridge-K35
aerator M 24 x 1
1/2" high pressure flexible hose with
PEX tubes European standard - EN 817





RAK10021


POLARIS STAR - Single lever
basin mixer DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817





RAK10023


Concealed 2-hole single lever
basin mixer
trim set
aerator M 24 x 1
flow class Z
wall outlet 180 mm
without pre-installation
kit item no. RAK38243





RAK10060

Single lever basin mixer XL DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible
hose with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817




** Refer to the Page Number 146 for Flow Rate requirement



RAK10001

Single lever bidet mixer DN 15
ceramic cartridge-K35
ball joint aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817






RAK10024

Single lever shattaf mixer DN 15
ceramic cartridge-K35
flow class B
shower outlet G 1/2"
S- unions 1/2 X 3/4 inch
European standard- EN 817


Available Finishes





RAK10002


Single lever bath & shower mixer DN 15
without shower set
ceramic cartridge-K35
aerator M 24 X 1
flow class DB
automatic diverter shower to bathtub
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817





RAK10050


Single lever sink mixer DN 15
ceramic cartridge-K35
PCA aerator M 22 x 1
swivelling U spout
1/2" high pressure flexible hose
with PEX tubes
European Standard EN 817





RAK10003


Single lever shower mixer DN 15
ceramic cartridge-K35
flow class B
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817





RAK10014

Single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (360°) spout l = 260 mm
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
European Standard - EN 817




** Refer to the Page Number 146 for Flow Rate requirement

POLARIS



RAK10028SU

Wall mounted single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (185°) U spout l = 186 mm
aerator M 22 x 1
flow class A
S- unions 1/2 X 3/4 inch
European standard- EN 817





RAK10076

Concealed single-lever bath shower mixer trim set

RAK38737
Pre-installation kit DN 15



RAK10079

Concealed single-lever shower mixer trim set

RAK38828
Pre-installation kit DN 15



** Refer to the Page Number 146 for Flow Rate requirement




PEAK STAR

DISTINCTIVE DESIGN THAT
IS TRULY AFFORDABLE



RAK18100


Single lever basin mixer DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard- EN 817





RAK18128


Side Single lever basin mixer DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard- EN 817





RAK18160


Single lever basin mixer XL DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817





RAK18101


Side Single lever basin mixer DN 15
ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard- EN 817





RAK18161

single lever basin mixer XL HR DN 15
ceramic cartridge-K35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
European standard - EN 817




** Refer to the Page Number 146 for Flow Rate requirement

PEAK STAR



RAK18102


Single lever bath & shower mixer DN 15
without shower set
ceramic cartridge-K35
aerator M 24 X 1
flow class CB
automatic diverter shower to bathtub
shower outlet G 1/2"
protected against back flow
S- unions 1/2 X 3/4 inch
European standard- EN 817





RAK18104

Single lever sink mixer DN 15
ceramic cartridge-K35
PCA aerator M 22 x 1
swivelling U spout
1/2" high pressure flexible hose
with PEX tubes
European Standard EN 817






RAK18172

Single lever sink mixer DN15
single hole mounted,
swivel spout (360°)
pull-out hand spray
automatic diverter: jet/spray
Double clip quick connector with
back flow preventer



SWIVEL SPOUT (360°) PULL-OUT HAND SPRAY







RAK18076

Concealed single-lever bath
shower mixer trim set

RAK38737
Pre-installation kit DN 15

** Refer to the Page Number 146 for Flow Rate requirement

PEAK MEDI CARE

FOR NURSING, CARE HOMES AND HOSPITAL




PEAK MEDI CARE HAS BEEN DESIGNED TO BE OPERATED EASILY BY FOREARM OR ELBOW.
THIS AVOIDS THE NEED FOR HAND CONTACT AND THE CONSEQUENT RISK CONTAMINATION



RAK18071


medi care single lever basin mixer HR DN 15
solid clinic lever K36
ceramic cartridge with hot water safety device
PCA aerator M 24 x 1
flexible high pressure supply tubes 1/2 inch
European Standard- EN 817





RAK18070


medi care single lever basin mixer DN 15
solid clinic lever K36
ceramic cartridge with hot water safety device
PCA aerator M 24 x 1
flexible high pressure supply tubes 1/2 inch
pop up waste 1 1/4 inch
European Standard- EN 817





RAK18073

wall mounted medi care single
lever basin mixer
solid clinic lever K36
ceramic cartridge with hot water safety device
PCA aerator M 24 x 1
European Standard- EN 817








RAK39000


Single lever basin mixer DN 15
Ceramic cartridge - K35
PCA aerator M 24 X 1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European standard EN 817





RAK39001


Single lever bidet mixer DN 15
ceramic cartridge-K35
cache aerator M16.5X1
1/2" high pressure flexible hose
with PEX tubes
pop up waste 1 1/4 inch
European Standard - EN 817





RAK39002


Single lever bath and shower mixer DN 15
Ceramic cartridge -K35
without shower set
PCA aerator M 24 X 1
flow class CB
automatic diverter shower to bathtub
shower outlet G 1/2"
protected against back flow
S-unions 1/2 x 3/4 inch
European standard - EN 817





RAK39003

Single lever shower mixer DN 15
Ceramic cartridge - K35
flow class B
shower outlet G 1/2"
protected against back flow
S-unions 1/2 x 3/4 inch
European standard - EN 817





RAK39076

Concealed single lever bath and
shower -mixer trim set

RAK38737
Pre-installation kit DN 15



RAK39079

Concealed single lever
shower -mixer trim set

RAK38828
Pre-installation kit DN 15

NEW

PREMIER-X

MODERN CLASSIC MASTERPIECE THAT COMPLIMENTS WITH EVERY STYLE STATEMENTS

With superlative finish and premium quality and modern geometry blended with a classical touch Premier X is the next generation of KLUDI RAK's evergreen and hugely successful Premier series. Preserving the sustainable features of its pioneering model, Premier X is aimed to cater to your needs by offering a conventional but trendy design.


With a synergy of two distinct stylish controls, Premier X is a must-have budget-friendly fitting.

PREMIER-X



RAK34001SU


Dual controlled wall mounted sink mixer DN 15
swivel U spout
aerator M22 x 1
flow class A
S- unions 1/2 inch x 3/4 inch
European standard- EN200





RAK34007


Long Bibcock DN15
marked : blue
thread connection 1/2 inch
European standard- EN200
aerator M22X1
flow class A





RAK34003


Pillar tap DN15
single hole deck mounted with swivel spout
aerator M22 x 1
flow class A
marked : blue
European standard- EN200





RAK34002


Bibcock DN15
marked : blue
Hose union 1/2 inch
European standard- EN200





RAK34008


Wall mounted sink tap DN15
marked : blue
swivel spout
aerator M22x1
flow class A
thread connection 1/2 inch
European standard- EN200



** Refer to the Page Number 146 for Flow Rate requirement

SELF CLOSING


Built with superior technology, our array of free-standing single lever taps is timed to make efficient use of water. Compatible with all water systems for traditional and modern bathrooms, these self-closing, push type faucets from KLUDI RAK is ideal for both residential and commercial usage.





RAK50001

Self Closing Tap - Push type DN 15
push type
cache type aerator M16.5x1
minimum working pressure 0.1bar
maximum working pressure 3 bar
time of water flow 0 to 16sec
with 2mm allen key for time adjustment






RAK50002

Self Closing Mixer DN15
push type
1/2 inch high pressure
flexible hose with PEX tubes
with cache aerator M16.5x1
minimum working pressure 0.1bar
maximum working pressure 3 bar
time of water flow 0 to 16sec
with 2mm allen key for time adjustment








RAK50003


Wall Mounted Self Closing Tap Push type DN 15
with S point aerator
minimum working pressure 0.1bar
maximum working pressure 3 bar
time of water flow 0 to 16sec
with 2mm allen key for time adjustment





RAK50004

Concealed valve
self closing (outdoor)-DN15
Push type timing device
connection 1/2 inch
maximum time of water flow 15 sec





SINK MIXER



Single lever sink mixer
with pull-out hand spray



Automatic diverter: Jet / Spray

SWIVEL SPOUT (360°) PULL-OUT HAND SPRAY





RAK14114 -PROFILE STAR

Single lever sink mixer DN 15
Ceramic cartridge with hot
water safety device Ø35 mm
swivelling (360°) rectangular
spout l = 230 mm
PCA aerator M 24 x 1
flexible high pressure
supply tubes
European Standard- EN 817

Available Finishes



RAK13012 - PASSION

Single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (360°) spout l = 210 mm
PCA cache aerator M 16.5 x 1
1/2" high pressure flexible hose
with PEX tubes
European Standard- EN 817

Available Finishes



RAK38004 - PACIFIC

Single lever side sink mixer DN 15
Ceramic cartridge - K35
PCA aerator M 24 x 1
1/2" high pressure
flexible hose with PEX tubes
European standard EN 817

Available Finishes



RAK12012 - PRIME

Single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (360°)spout l=215 mm
PCA cache aerator M16.5X1
1/2" high pressure flexible hose
with PEX tubes
European Standard - EN 817

Available Finishes



RAK17050 - PEARL

Single lever sink mixer DN 15
ceramic cartridge-K35
PCA aerator M 22 x 1
swivelling U spout
1/2" high pressure flexible hose
with PEX tubes
European Standard EN 817

Available Finishes



RAK18104 - PEAK STAR

Single lever sink mixer DN 15
ceramic cartridge-K35
PCA aerator M 22 x 1
swivelling U spout
1/2" high pressure flexible hose
with PEX tubes
European Standard EN 817



RAK10050 - POLARIS

Single lever sink mixer DN 15
ceramic cartridge-K35
PCA aerator M 22 x 1
swivelling U spout
1/2" high pressure flexible hose
with PEX tubes
European Standard EN 817



RAK18172 - PEAK STAR PULL OUT

Single lever sink mixer DN15
single hole mounted,
swivel spout (360°)
pull-out hand spray
automatic diverter: jet/spray
Double clip quick connector with
back flow preventer

** Refer to the Page Number 146 for Flow Rate requirement

SINK MIXER



RAK10014 - POLARIS

Single lever sink mixer DN 15
ceramic cartridge-K35
swivelling (360°) spout l = 260 mm
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes
European Standard - EN 817



RAK10028SU - POLARIS

Wall mounted single lever sink
mixer DN 15
ceramic cartridge-K35
swivelling (185°) U spout l = 186 mm
aerator M 22 x 1
flow class A
S- unions 1/2 X 3/4 inch
European standard- EN 817



RAK34001SU - PREMIER X

Dual controlled wall mounted
sink mixer DN 15
swivel U spout
aerator M22 x 1
flow class A
S- unions 1/2 inch x 3/4 inch
European standard- EN200



RAK34008 - PREMIER X

Wall mounted sink tap DN15
marked : blue
swivel spout
aerator M22x1
flow class A
thread connection 1/2 inch
European standard- EN200

** Refer to the Page Number 146 for Flow Rate requirement

CONCEALED FITTINGS

SHOWER


Space being an essential feature in the shower area, at KLUDI RAK our innovators with their practical planning and integration of the world's latest technology have designed concealed bath and shower mixers with a multitude of design options and features.

Sleek and sophisticated Concealed Fittings from KLUDI RAK make efficient use of shower space without compromising on its functionality and user's comfort.



RAK45125


Brass Over head
shower DN 15
250 mm x 250 mm
with cleaning system





RAK45130


Brass Over head
shower DN 15
300 mm x 300 mm
with cleaning system





RAK45140


Brass Over head
shower DN 15
400 mm x 400 mm
with cleaning system





RAK45025


Brass Over head
shower DN 15
Ø 250mm
with cleaning system





RAK45030

Brass Over head
shower DN 15
Ø 300mm
with cleaning system




** Refer to the Page Number 146 for Flow Rate requirement



RAK45040

Brass Over head
shower DN 15
Ø 400mm
with cleaning system






RAK12014

ABS Over head Shower DN 15,
Ø 245 mm
with swivel ball joint ½" inch

Available Finishes






RAK12114

ABS Over head Shower DN 15,
250 mm x 250 mm
with cleaning system
with ball joint connection 1/2 inch


Available Finishes





RAK11012


ABS Over head Shower DN 15,
Ø 200 mm
with swivel ball joint ½" inch





RAK44002

Over head Shower 4S - DN 15,
Ø 120 mm
with swivel ball joint ½" inch
Jet kind : spray/misty/massage/
spray & massage






RAK12013

Shower arm 400 mm, DN 15
Projection 415 mm
with sliding cover plate
male thread 1/2 inch

Recommended for all round head shower

Available Finishes






RAK12113

Square shower arm
410mm DN15
Projection 388 mm
Connection G1/2" inch
with sliding cover plate

Recommended for all square head shower

Available Finishes






RAK10012

Shower arm 250 mm, DN 15
Projection 255 mm
with sliding cover plate
male thread 1/2 inch

Recommended for smaller
than 250mmØ head shower

Available Finishes






RAK45001

Shower arm 135 mm, DN 15
Projection 135 mm
with sliding cover plate
male thread 1/2 inch

Recommended to RAK10013 &
RAK44002




** Refer to the Page Number 146 for Flow Rate requirement



RAK10019

Ceiling Shower arm 500mm, DN 15
Projection 500 mm
with sliding cover plate
male thread 1/2 inch

Available Finishes






RAK10111

Ceiling Shower arm 200mm, DN 15
Projection200mm
with sliding cover plate
male thread 1/2 inch

Available Finishes






RAK10011

Ceiling Shower arm 150mm, DN 15
Projection 150 mm
with sliding cover plate
male thread 1/2 inch

Available Finishes




BATH SPOUT



RAK14008

PROFILE wall spout DN 15
projection 190 mm
wall fastening
s-pointer aerator M 24 x 1
flow class C

Available Finishes






RAK10007

POLARIS wall spout DN15
wall fastening
aerator M28 X 1 flow class B
with sliding cover plate
projection 170 mm
in accordance to EN 200

Available Finishes






RAK11013

PROJECT wall spout DN15
aerator M 28 x 1 flow class BB
automatic diverter: shower to bathtub
shower outlet 1/2 inch
protected against back flow
with sliding cover plate Ø 60 mm
projection 170 mm

Available Finishes




HAND HELD SHOWER



RAK40009

1S Hand shower DN15
jet kind : rain shower
anti-limescale system
48 spray nozzles
connection G1/2”
perfect spray pattern
fits all standard shower hoses






RAK40008

1S Hand shower DN15
jet kind : rain shower
anti-limescale system
flow class A 48 spray nozzles
connection G1/2”
perfect spray pattern
fits all standard shower hoses

Available Finishes






RAK40002

4S Hand Shower DN 15
Ø 120 mm
jet kind : spray/misty/massage/spray & massage

Available Finishes






RAK40003

3S Hand held Shower DN 15
Easy open
Ø 100 mm
jet kind : spray/massage/ spray & massage

Available Finishes




** Refer to the Page Number 146 for Flow Rate requirement



RAK40014

3S Hand Shower DN 15
Ø 125 mm
jet kind : spray/massage/spray & massage

Available Finishes






RAK40015

3S Hand Shower DN 15
jet kind : spray/massage/spray & massage


Available Finishes





RAK62200
1S Shower set L= 680 mm


wall bar with silder horizontally and vertically adjustable
jet kind : rain shower
with fixing kit
1S hand -held shower
with quick lime deposit cleaning system
with bright silver hose
and conical nuts 1/2 x 1/2 inch x 1500 mm
with screws and dowels





RAK62200
1S Shower set L= 680 mm


wall bar with silder horizontally and vertically adjustable
jet kind : rain shower
with fixing kit
1S hand -held shower
with quick lime deposit cleaning system
with bright silver hose
and conical nuts 1/2 x 1/2 inch x 1500 mm
with screws and dowels





RAK62012

bath shower set 1S
1S hand shower DN 15
one spray pattern
quick and easy cleaning system
with dirt catching sieve
supreme shower hose
G1/2 x G1/2 x 1500 mm
with conical nuts
with shower holder
for shower hoses with conical nuts
for rigid wall mounting




** Refer to the Page Number 146 for Flow Rate requirement



TRIO - 1S

RAK6013105
1S Shower set L=600mm

wall bar with slider horizontally and vertically adjustable
jet kind:rain shower
with soap dish
with fixing kit
1S hand-held shower
with quick lime deposit cleaning system
with Logoflex-hose, plastic coated with metal-effect
and conical nuts 1/2 x 1/2 inch x 1600 mm
with screws and dowels






TRIO - 4S

RAK42005
4S Shower set L=600mm

wall bar with slider horizontally and vertically adjustable
jet kind: spray/misty/massage/spray & massage
with soap dish
with fixing kit
4S hand-held shower
with quick lime deposit cleaning system
with Logoflex-hose, plastic coated with metal-effect
and conical nuts 1/2 x 1/2 inch x 1600 mm
with screws and dowels





** Refer to the Page Number 146 for Flow Rate requirement



RAK62008
3S Shower set L=600 mm

wall bar with horizontally and vertically adjustable slider
jet kind : spray / massage / spray & massage
3S hand-held shower DN 15
with quick lime deposit cleaning system
with supreme shower hose
G1/2 x G1/2 x 1500 mm
with conical nuts
with fixing kit

Available Finishes






RAK62010
3S Shower set L=600 mm

wall bar with horizontally and vertically adjustable slider
jet kind : spray / massage / spray & massage
3S hand-held shower DN 15
with quick lime deposit cleaning system
with supreme shower hose
G1/2 x G1/2 x 1500 mm
with conical nuts
with fixing kit


Available Finishes





ECO 1S
RAK7310025E

Bathtub set
jet kind: rain shower
shower connection G 1/2
shower hose 1/2" x 1/2" x 1600 mm
Adjustable holder
with screws and dowels






ECO 4S
RAK40022E

Bathtub set
jet kind: spray/misty/massage/spray & massage
shower connection G 1/2
shower hose 1/2" x 1/2" x 1600 mm
Adjustable holder
with screws and dowels

Available Finishes






RAK22182

wall supply with
shower holder DN 15
Size:25×25×65mm

Available Finishes






RAK22082

wall supply with
shower holder DN15
Size 32X89mm

Available Finishes






RAK22181

wall supply DN15
Size:25×25×57mm

Available Finishes






RAK6054005

Wall supply DN 15
with wall flange
connection 1/2 inch

Available Finishes






RAK22180

shower holder DN 15
Size:25×25×55mm

Available Finishes






RAK6055105

Wall mount shower holder
with screws and dowels

Available Finishes






RAK22030

Wall mounted adjustable
shower holder
with screws and dowels

Available Finishes



** Refer to the Page Number 146 for Flow Rate requirement

DUAL SHOWERS






RAK48043

Dual shower system L-shape
L = 960 mm
wall fastening
hand and head shower
two way ceramic divertor
with 3S hand held shower 1/2 inch
ridgeless adjustable shower holder
vertically and cylindrically adjustable
shower holder
shower hose 1/2 x 1/2 inch x 1500mm
with fixing kit swivel Square head shower
connecting hose mixer to dual shower
1/2 x 1/2 inch x 800 mm


Available Finishes





RAK48001

Dual shower system L-shape
L = 960 mm
wall fastening
hand and head shower
two way ceramic divertor
with 3S hand held shower 1/2 inch
ridgeless adjustable shower holder
vertically and cylindrically adjustable
shower holder
shower hose 1/2 x 1/2 inch x 1500mm
with fixing kit swivel square head shower
connecting hose mixer to dual shower
1/2 x 1/2 inch x 800 mm




** Refer to the Page Number 146 for Flow Rate requirement



RAK48100

Dual shower system L-shape
with adjustable
L = 1250 mm
wall fastening
hand and head shower
two way ceramic diverter
with 1S hand held shower 1/2 inch
rigideless adjustable shower holder
vertically and horizontally
shower hose 1/2 x 1/2 x inch x 1500 mm
with fixing kit swivel head shower
connection hose mixer to dual shower
1/2 x 1/2 inch x 800






RAK48042

Dual shower system L-shape
L = 960 mm
wall fastening
hand and head shower
two way ceramic divertor
with 3S hand held shower 1/2 inch
ridgeless adjustable shower holder
vertically and cylindrically adjustable
shower holder
shower hose 1/2 x 1/2 inch x 1500mm
with fixing kit swivel Round head shower
connecting hose mixer to dual shower
1/2 x 1/2 inch x 800 mm

Available Finishes



BATHROOM
ACCESSORIES


THE FINISHING TOUCH FOR INSPIRATIONAL BATHROOMS

High quality craftsmanship, top-grade materials and exceptional finish is the hallmark of KLUDI RAK range of finest accessories. Bathroom Accessories for shower, wash basin and bathtub are distinctive in their styles, shapes and are compatible with contemporary and traditional bathrooms. Moreover accessories from KLUDI RAK perfectly complement the interior décor and create inspirational bathrooms.






RAK20001
Single towel bar
wall fastening
with screws and dowels






RAK20003
Towel ring
wall fastening
with screws and dowels






RAK20004
Paper holder
wall fastening
with screws and dowels






RAK20005
Robe Hook
wall fastening
with screws and dowels






RAK20007
Tumbler holder with glass
wall fastening
with screws and dowels






RAK20008
Soap dish with glass
wall fastening
with screws and dowels






RAK20015
Paper roll holder
wall fastening
with screws and dowels






RAK20020
Towel shelf with towel bar
wall fastening
with screws and dowels






RAK28001
Single towel bar 600mm
wall fastening
with screws and dowels






RAK28003
Towel ring
wall fastening
with screws and dowels






RAK28004
Paper holder
with adjustable guide plate
wall fastening
with screws and dowels






RAK28015
Paper roll holder
wall fastening
with screws and dowels






RAK28005
Robe Hook
wall fastening
with screws and dowels






RAK28007
Tumbler holder with glass
wall fastening
with screws and dowels






RAK28008
Soap dish with glass
wall fastening
with screws and dowels






RAK28032
Toilet brush holder
wall fastening
with screws and dowels
with container glass
with brush






RAK28033
Wall mounted soap
dispenser 150 ml
wall fastening with
screws and dowels



Available Finishes




RAK24000
Single towel bar
wall fastening
with screws and dowels
with square bar






RAK24001
Single towel bar
wall fastening
with screws and dowels
with square bar






RAK24003
Towel ring
wall fastening
with screws and dowels






RAK24004
Paper holder
wall fastening
with screws and dowels






RAK24025
Double Robe hook
wall fastening
with screws and dowels





RAK24005
Robe hook
wall fastening
with screws and dowels




HARMONY
ACCESSORIES

Available Finishes




RAK24007
Tumbler holder glass
wall fastening
with screws and dowels






RAK24008
Soap dish glass
wall fastening
with screws and dowels
with a bowl of glass






RAK24033
Wall mounted soap dispenser,
glass - 225 ml
wall fastening
with screws and dowels






RAK24013
Glass shelf
wall fastening
with screws and dowels






RAK24010
Brass Towel shelf
wall fastening
with screws and dowels






RAK24032
Toilet brush holder
wall fastening
with screws and dowels



Available Finishes




RAK21000
Single towel bar
wall fastening
with screws and dowels






RAK21001
Single towel bar
wall fastening
with screws and dowels






RAK21003
Towel ring
wall fastening
with screws and dowels






RAK21031
Towel ring
wall fastening
with screws and dowels






RAK21004
Paper holder
wall fastening
with screws and dowels
with adjustable guide plate






RAK21005
Robe hook
wall fastening
with screws and dowels



Available Finishes




RAK21008
Soap dish, glass
wall fastening
with screws and dowels
with a bowl of crystal glass






RAK21007
Tumbler holder, glass
wall fastening
with screws and dowels






RAK21014
Double tumbler holder, glass
wall fastening
with screws and dowels






RAK22009
Wall mounted soap dispenser,
brass - 150 ml
wall fastening
with screws and dowels






RAK21033
Wall mounted soap dispenser,
glass - 200 ml
wall fastening
with screws and dowels






RAK21002
Soap basket
wall fastening
with screws and dowels





RAK21006
Soap / sponge basket
wall fastening
with screws and dowels




Available Finishes



RAK21034


Soap basket corner
wall fastening
with screws and dowels





RAK21013


Glass shelf
wall fastening
with screws and dowels





RAK21011


Double towel bar
wall fastening
with screws and dowels





RAK21009


Bath grab bar
wall fastening
with screws and dowels





RAK21032


Toilet brush holder, glass
wall fastening
with screws and dowels
with container glass with brush





RAK21015

Extra paper roll holder
wall fastening
with screws and dowels




Available Finishes



RAK21010


Towel shelf
wall fastening
with screws and dowels





RAK21020

Towel shelf with towel bar
wall fastening
with screws and dowels





RAK21021

CALIBER Bathroom
accessories, 6 piece set



RAK27021

PEARL Bathroom
accessories, 5 piece set



RAK32002
Brass Shattaf with supreme hose & wall bracket
Connection 1/2 inch
with supreme hose
G1/2 x G 1/2 x 1200mm
with wall braket
with dirt catching sieve

Available Finishes



RAK32117
ABS Shattaf with supreme hose & wall bracket
Connection 1/2 inch
SS hose G1/2 x G 1/2 x 1200mm
with wall bracket
with dirt catching sieve



RAK3200704
Angle valve with holder for shattaf
with 1/4 turn handle
connection 1/2 inch x 1/2 inch
ceramic disc fitting
ABS Shattaf
SS 304 braided pull-out anti explosive hose
G1/2 x G1/2 x 1200 mm
with dirt catching sieve



RAK3200701
ABS chrome Shattaf with Ceramic Shut-off valve
Connection 1/2 inch
Supreme hose G1/2 x G 1/2 x 1200mm
with dirt catching sieve
protected against back flow





RAK32007
ABS chrome Shattaf
with hose & wall bracket
Connection 1/2 inch
SS hose G1/2 x G 1/2 x 1200mm
with wall bracket
with dirt catching sieve
braided pull out anti explosive hose



RAK32008
ABS Black Shattaf with black hose & wall bracket
Connection 1/2 inch
black hose G1/2 x G 1/2 x 1200mm
with wall bracket
with dirt catching sieve



RAK32009
ABS White Shattaf
with hose & wall bracket
Connection 1/2 inch
SS hose G1/2 x G 1/2 x 1200mm
with wall bracket
with dirt catching sieve
braided pull out anti explosive hose



Spray stream
by Neoperl
Germany



Aerator key for
easy clean



Anit- Twist
hose rotation



Stainless steel
braided pull out
anti-explosive hose



RAK3200702
ABS chrome Shattaf with Concealed single lever mixer, pre installation kit DN15
Connection 1/2 inch
Supreme hose G1/2 x G 1/2 x 1200mm
with wall bracket
with dirt catching sieve
protected against back flow

Available Finishes






RAK14013

Brass angle valve DN 15
1/4 Turn-cp 1/2'' x 1/2''
ceramic disc fitting
working pressure 6 bar maximum
provided with hot and cold button
rosette brass with chrome plating


Available Finishes





RAK10018


Brass angle valve DN 15
1/4 Turn-cp 1/2'' x 1/2''
ceramic disc fitting
working pressure 6 bar maximum
provided with hot and cold button
rosette brass with chrome plating





RAK33001


Brass angle valve DN 15
1/4 Turn-cp 1/2'' x 1/2''
ceramic disc fitting
ABS handle
working pressure 6 bar maximum
provided with hot and cold button
S.S rosette





RAK33002-01


Brass angle valve DN 15
1/4 Turn-cp 1/2'' x 1/2''
ceramic disc fitting
working pressure 6 bar maximum
provided with hot and cold button
S.S rosette





RAK33003

Brass long angle valve DN 15
1/4 Turn-cp 1/2'' x 1/2''
ceramic disc fitting
ABS handle
working pressure 6 bar maximum
provided with hot and cold button
S.S rosette




** Refer to the Page Number 146 for Flow Rate requirement



RAK22007

Click clack waste fitting with
Over flow Hole
Click Clack Waste Fitting 1¼"






RAK22007UK

Click clack waste fitting with
Over flow Hole
Click Clack Waste Fitting 1¼"

Available Finishes






RAK22025UK

Click clack waste fitting
without Over flow hole
Click Clack Waste 1¼"


Available Finishes





RAK22015

PVC bottle trap 1 1/4"
Inlet pipe- G 1 1/4" x 32mm
with outlet tube Ø40 x 200mm
with wall flange






RAK1010505

Brass chrome bottle trap 1 1/4"
G 1 1/4" x 32 mm
with outlet tube 32 x 200 mm
with wall flange

Available Finishes






RAK1002005

BOTTLE TRAP 1 1/4" X 32 MM,
ROUND

Available Finishes






RAK1020505

Bottle Trap 1 1/4" X 32 MM,
square

Available Finishes






RAK22023

Brass chrome floor drain
Floor drain (150x150mm)
with heavy steel mesh


Available Finishes





RAK22029

Stainless steel floor drain
Floor drain (150x150mm)
With heavy steel mesh






RAK22039

Supreme Hose with conical
nut G1/2 x 1/2 inch x 1200mm


Available Finishes





RAK22048

Logo Flex hose
G 1/2" x 1/2 " x 1200 mm





RAK6105605


Logo flex hose DN 15
plastic coated with metal-effect
with conical nuts 1/2 x 1/2 inch x
1600mm



RAK22038

Supreme Hose with conical
nut G1/2 x 1/2 inch x 1500mm


Available Finishes





RAK22028


Flex feeding hose
G 1/2" x 1/2 " x 300 mm





RAK22008

Flex feeding hose
G 1/2" x 1/2 " x 500 mm




STAINLESS STEEL
FITTINGS

KITCHEN SINK



RAK90810


Inset Sink 50X86
Single Bowl Single Drainer
S.S 304 Satin finish
3.5" Waste with siphons





RAK90820


Inset Sink 50X116
Double Bowl Single Drainer
S.S 304 Satin finish
3.5" Waste with siphons





RAK90850


Undermount Sink 40x40
Single Bowl
S.S 304 Satin finish
3.5" Waste with siphons





RAK90860

Undermount Sink 48 x 83
Double Bowl
S.S 304 Satin finish
3.5" Waste with siphons





RAK90891

Waste Trap for Single
Bowl Sink
Standard 3.5" waste plug
with over flow



RAK90892

Waste Trap for Double
Bowl Sink
Standard 3.5" waste plug
with over flow



RAK90301


Pedal Dust Bin, 5L
(dia.)206mm X 295mm (H)
SS 410 Satin finish





RAK90510-2


Wall Mounted
Paper Dispenser
Capacity: 400C-fold
or 525 multifold
SS 304 Satin finish





RAK90600

Automatic Hand Dryer
Wall Mounted
Voltage: 220V-240V
SS 304 Satin finish








RAK90100


Deck Mounted
Automatic Soap Dispenser
Capacity 1600ml
Power: AC220V DC1.6V
Brass Chrome finish





RAK90140


soap dispenser countertop
suitable for both kitchen or
bathroom use
capacity 500 ml





RAK90110


Wall Mounted
Automatic Soap Dispenser
Capacity 750ml
Power: 4 AA Batteries
SS 304 Satin finish





RAK90131


Wall Mounted
Soap Dispenser,
Push type Capacity 500ml
SS 304 Satin finish





RAK90702-1


Stamping Floor Drain
Tile Insert
with Smell Prevention
100x100mm
SS 304 Polished finish





RAK90703-1


Stamping Floor Drain
Tile Insert
150x150mm
SS 304 Polished finish





RAK90750-1


Floor Drain
150x150mm
SS 304 Polished finish





RAK90704


Stamping Floor Drain Casting
Floor Drain Tile Insert
with opening key 130x130mm
SS 304 Satin finish





RAK90760-1


Floor Drain 100x100mm
SS 304 Satin finish





RAK9720-1


Shower Channel
Tile Insert
with Smell Prevention
Channel 300x80mm
SS 304 Satin Finish





RAK9721-1


Shower Channel
Tile Insert
with Smell Prevention
and opening key
Channel 600x80mm
SS 304 Satin Finish





RAK9722-1


Shower Channel
Tile Insert
with Smell Prevention
and opening key
Channel 800x80mm
SS 304 Satin Finish





RAK90730


Floor Drain Long Grate Insert
with Smell Prevention
Cover Type A
Channel 300x103mm
SS 304 Satin finish





RAK90731

Floor Drain Long Grate Insert
with Smell Prevention
and Opening Key
Cover Type B
Channel 600x103mm
SS 304 Satin finish



KLUDI RAK operates under international certifications that demonstrate its dedication to manufacturing quality products

DVGW CERTIFICATE GmbH is the largest gas and water industry certification body in Europe, covering all the certification procedures equired in the gas and water sectors. The main objective of all certification work is to ensure that there are no safety, hygiene or environmental objections to the products and companies certified. The DVGW CERT certification system ensures proven quality and safety on the basis of the DVGW standards and other recognized technical standards and test specifications.

ISO 9001:2015 is the international standard that specifies requirements for a quality management system (QMS). Organizations use the standard to demonstrate the ability to consistently provide products and services that meet customer and regulatory requirements. ISO 9001:2015 is based on the plan-do-check-act methodology and provides a process-oriented approach to documenting and reviewing the structure, responsibilities, and procedures required to achieve effective quality management.

SASO Quality Mark is an important means to guide consumers to products that conform to Saudi Arabian standards. Through the Quality Mark, products gain customers' satisfaction and trust.

Emirates Green Building Council (EmiratesGBC) was formed in 2006, with the goal of advancing green building principles for protecting the environment and ensuring sustainability in the United Arab Emirates.

SONCAP The Standards Organisation of Nigeria **(SON)** is the apex standardization body in Nigeria.

WRAS is a subscription membership company limited by guarantee and was incorporated on 4 August 2008. The purpose of WRAS is to contribute to the protection of public health by preventing contamination of public water supplies and encouraging the efficient use of water by promoting and facilitating compliance with the Water Supply (Water Fittings) Regulations and Byelaws.

Emirates Authority for Standardization and Metrology (ESMA) was established as the sole Standardization Body in the UAE. The body issues conformity certificate for Water Fixtures Products complying with the UAE Assessment Scheme (ECAS) according to the technical requirements of the cabinet resolution No. 43 for the year 2014.

ADQCC Abu Dhabi Quality and Conformity Council is an Abu Dhabi government entity established in accordance with Local Law No. (3) of 2009 to raise the quality of Abu Dhabi's exports and products traded locally. QCC consists of a council of regulators and industry with a mandate to ensure provision of quality infrastructure in line with global standards.


Supplier Certificate from UAE Ministry of Infrastructure Development

WATER EFFICIENCY COMPLIANCE

KLUDI RAK's products have been issued with the Water Efficiency Label from **SASO** Water Efficiency Labeling Programme of Saudi Arabia, Emirates Authority for Standardization and Metrology **(ESMA)** of the UAE and Egyptian Organization For Standardization & Quality **(EOS)** of Egypt. KLUDI RAK is amongst the first companies to have 5-star ratings from **ESMA** and A-grade ratings from SASO for its products.

























ADDITIONAL PRODUCT REFERENCE CODES

FOR BASIN/ BIDET/ SINK MIXERS	
RAKXXXXX	3/8" HOSE CONNECTION - FLOW RATE 15 ≤ LTR/MIN
RAKXXXXX-01	1/2" HOSE CONNECTION - FLOW RATE 6 LTR/MIN
RAKXXXXX-03	1/2" HOSE CONNECTION - FLOW RATE 15 ≤ LTR/MIN
RAKXXXXX-04	3/8" HOSE CONNECTION - FLOW RATE 6 LTR/MIN
RAKXXXXX-31	1/2" HOSE CONNECTION - FLOW RATE 1.9 LTR/MIN
RAKXXXXX-32	1/2" HOSE CONNECTION - FLOW RATE 3 LTR/MIN
RAKXXXXX-09	1/2" HOSE CONNECTION - FLOW RATE 3.8 LTR/MIN
RAKXXXXX-33	1/2" HOSE CONNECTION - FLOW RATE 5 LTR/MIN
RAKXXXXX-37	1/2" HOSE CONNECTION - FLOW RATE 0.6 LTR/MIN
FOR SHOWER MIXERS HAND SHOWER & OVERHEAD SHOWER	
RAKXXXXX	FLOW RATE 15 ≥ LTR/MIN
RAKXXXXX-21	FLOW RATE 9 LTR/MIN
RAKXXXXX-22	FLOW RATE 7 LTR/MIN

FOR BATH MIXER	
RAKXXXXX	FLOW RATE 22 ≥ LTR/MIN
RAKXXXXX-86	FLOW RATE 9 LTR/MIN
RAKXXXXX-87	FLOW RATE 8 LTR/MIN
RAKXXXXX-88	FLOW RATE 6 LTR/MIN
COUNTRY CODES	
RAKXXXXXEG	EGYPTIAN STANDARD
RAKXXXXXAD	ADQCC STANDARD
RAKXXXXXSA	SASO STANDARD

AVAILABLE FINISHES		
RAKXXXXX.GD1	GLOSSY GOLD PVD	
RAKXXXXX.RG1	GLOSSY BRONZE PVD	
RAKXXXXX.BK1	GLOSSY BLACK PVD	
RAKXXXXX.BK2	MATT BLACK POWDER COATING	

CARE INSTRUCTIONS

Dear Customer,
Congratulations on choosing the best bathroom fittings for your needs!
In order to ensure the long life of your Kludi RAK products, please follow the enlisted care and cleaning instructions.

- Clean the surface to prevent accumulation of dirt and lime scale
- For daily cleaning use neutral cleaners and water
- For removing strong lime scale use cleaners with citric acid base
- Use cleaning agents specially developed for fittings
- Cleaning sprays should first be sprayed on a soft cloth and then the cloth should be used to clean the fittings. Do not spray them directly on the surface of the fitting.
- The amount of cleaning agent used should be just sufficient to remove the dirt and lime scale. Do not use excessive quantities. Also, do not let the cleaning agent stay on the surface for longer time than necessary.
- After using the cleaning agent, rinse the fitting with sufficient water to remove it and then polish with a soft cloth.

The chrome plating on the surface of the fitting is a result of a lot of chemical reactions. Strong cleaners and bleach can alter the effects of these reactions and cause significant damage to the surface and void the warranty. In any case do not use any of the following to clean the fittings:

- Abrasive cleaning materials, pads, scourers etc.
- Cleaning agents with volatile acids like hydrochloric or acetic acid
- Scouring powders or abrasive cleaning fluids
- Cleaning agents containing bleach such as Clorox.

Cleaning the fittings after each use helps retain their value!

KLUDI

RAK

800 KLUDI 55834

Post Box : 6679, Ras Al Khaimah,
United Arab Emirates,
Tel : +971 7 204 8111 , Fax : +971 7 244 7759

www.kludirak.com