PYRAMIS

STAINLESS STEEL & PYRAGRANITE SINKS
KITCHEN TAPS, WASTE DISPOSER
OVENS, COOKERHOODS

UAE PRODUCT BROCHURE 2023











PYRAMIS

Tireless, we are always looking ahead

Pyramis Metallourgia A.E. is a Greek company that produces and trades in integrated kitchen and bathroom solutions. It was started as a family business in 1960 by Alexandros Bakatselos, and today it is one of the largest stainless steel sink producers in the world, with powerful strategic partnerships globally. It has its headquarters in Thessaloniki, where its factory is based, a true achievement for Greek standards, as it is one of the largest stainless steel production units in the world. In 2013 operations began at a new granite and synthetic sink plant in Kilkis.

Technological excellence

Pyramis Metallourgia A.E. is located in Liti Thessalonikis, where its highly automated production facilities of stainless steel sinks, distribution center and head offices are based. In 2013, the new granite and synthetic sinks production facility started its operations with an annual capacity of 170.000 sinks. The evolutionary course of PYRAMIS is due to the continuous investments in both technological and mechanical equipment, to the successful development and launch of new innovative products and to the know-how and specialization of its human resources.

PYRAMIS worldwide

Greek and global, PYRAMIS has set up 9 subsidiaries in Poland, the UK, Germany, Romania, Italy, Russia, Bulgaria, UAE, and the Czech Republic. In Greece it is a leader in the Kitchen and Bathroom sector, with products that Greek consumers trust.

Stainless Steel Sinks

PYRAMIS uses traditionally the best quality performance Stainless Steel material AISI 304. This type of stainless steel contains a significant amount of chromium, and sufficient nickel to «stabilise» the microstructure, that gives to these steel goods formability and ductility. The typical composition is 18% chromium and 10% nickel and this makes PYRAMIS' Stainless Steel Sinks extremely resistant to rust or corrosion in normal household conditions.

Kitchen Solutions

Kitchen is the room where we share beautiful moments and smiles with our loved ones daily. Therefore, it needs to be stylish, functional and should follow high quality and safety standards. In PYRAMIS we off er integrated solutions, from contemporary kitchen sinks and mixers, to high quality electrical appliances, distinguished for both their design and quality. Thus, our kitchen area becomes truly unique.

Kitchen Products

- Stainless Steel Sinks
- Pyragranite Sinks
- Kitchen Mixers
- Cookerhoods
- Ovens
- Hobs
- Refrigerators

CE





TABLE OF CONTENTS

Stainless Steel Sink Finish 4
Installation Profile 4

Jumbo Bowl Sinks
Onset Type - Grando Series 5
Inset Type - Profondo Series 5

Undermount Type
Iris Series 6
Lume Series 6
Lydia Series 7
Relia Series 7

Flushmount Type
Lume Series 6
Lydia Series 7
Zeria Series 8

Inset Type
Basic Series 8
Space Series 9
Tico Series 9
Corner Series 10
Athena Extra Series 10
Amaltia Series 11
Sparta Series 11
Titan Series 12
Bowl Series 12

Onset Type
International Series 13

Pyragranite Series 14

SINK ACCESSORIES 15

KITCHEN TAPS 16-17

OVENS & REFRIGERATOR 18

GAS HOBS 19

CERAMIC & INDUCTION HOBS 20-21

COOKERHOODS 22-23



Stainless Steel Sinks

Stainless steel finish

PYRAMIS uses traditionally the best quality performance Stainless Steel material **AISI 304**. This type of stainless steel contains a significant amount of chromium, and sufficient nickel to «stabilise» the microstructure, that gives to these steel goods formability and ductility. The typical composition is **18%** chromium and **10%** nickel and this makes PYRAMIS' Stainless Steel Sinks extremely resistant to rust or corrosion in normal household conditions. A variety of stainless steel finishes includes **polished, satin, brushed** and **linen**.

POLISHED | SATIN | BRUSHED | LINEN

Installation profiles





Inset
The rim of the sink sits on the worktop after installation.





Undermount
The rim of the sink is placed underneath the worktop.





Flushmount
The rim of the sink is installed at exactly the same level with the worktop.





Onset - 3 Sides Down
Three of the four sides are folded down but the back edge side of the sink is folded up in order to create an upstand against the wall.





Onset - 4 Sides Down
The onset sink is formatted in a way that all four sides are folded down.



Factory fitted seal

PYRAMIS Stainless Steel Sinks for inset installation are provided with a preinstalled sealant of polyurethane underneath the sink, thus, the installation of an inset sink becomes much easier and friendlier since the sealant that is already installed provides time-saving compared to other sealing methods.



Grando Series (Onset Type)



GRANDO (150X60) 2B 1D

Sink Dimensions: 150x60cm
Bowl Dimensions: 50x40cm / 50x40cm
Bowl Depth: 31cm / 31cm
Min. Base Unit: 110cm
Waste Valves: Ø92mm



GRANDO (180X60) 2B 2D

Sink Dimensions: 180x60cm
Bowl Dimensions: 50x40cm / 50x40cm
Bowl Depth: 31cm / 31cm
Min. Base Unit: 110cm
Waste Valves: Ø92mm



GRANDO (200X60) 2B 2D

Sink Dimensions: 200x60cm
Bowl Dimensions: 50x40cm / 50x40cm
Bowl Depth: 31cm / 31cm
Min. Base Unit: 110cm
Waste Valves: Ø92mm

Profondo Series (Inset Type)



PROFONDO (116X50) 2B

Sink Dimensions: 116x50cm
Bowl Dimensions: 50x40cm / 50x40cm
Bowl Depth: 31cm / 31cm
Min. Base Unit: 110cm
Waste Valves: Ø92mm



PROFONDO (150X51) 2B 1D

Sink Dimensions: 150x51cm
Bowl Dimensions: 50x40cm / 50x40cm
Bowl Depth: 31cm / 31cm
Min. Base Unit: 110cm
Waste Valves: Ø92mm





Iris Series (Undermount Type)






IRIS (24X33,5) 1B

Outer Dimensions: 26,2x35,7cm
Bowl Dimensions: 24x33,5cm
Bowl Depth: 15cm
Min. Base Unit: 30cm
Waste Valve: Ø92mm





IRIS (34X40) 1B

Outer Dimensions: 36,2x42,2cm
Bowl Dimensions: 34x40cm
Bowl Depth: 18cm
Min. Base Unit: 40cm
Waste Valve: Ø92mm





IRIS (40X40) 1B

Outer Dimensions: 42,3x42,3cm
Bowl Dimensions: 40x40cm
Bowl Depth: 20cm
Min. Base Unit: 45cm
Waste Valve: Ø92mm





IRIS (45X40) 1B

Outer Dimensions: 47,2x42,2cm
Bowl Dimensions: 45x40cm
Bowl Depth: 20cm
Min. Base Unit: 50cm
Waste Valve: Ø92mm






IRIS (50X40) 1B

Outer Dimensions: 52,3x42,3cm
Bowl Dimensions: 40x40cm
Bowl Depth: 20cm
Min. Base Unit: 45cm
Waste Valve: Ø92mm

Lume Series (Undermount Type)






LUME (17X40) 1B

Outer Dimensions: 21x44cm
Bowl Dimensions: 17x40cm
Bowl Depth: 14cm
Min. Base Unit: 30cm
Waste Valve: Square






LUME (34X40) 1B

Outer Dimensions: 38x44cm
Bowl Dimensions: 34x40cm
Bowl Depth: 20cm
Min. Base Unit: 40cm
Waste Valve: Square






LUME (40X40) 1B

Outer Dimensions: 44x44cm
Bowl Dimensions: 40x40cm
Bowl Depth: 20cm
Min. Base Unit: 45cm
Waste Valve: Square






LUME (50X40) 1B

Outer Dimensions: 54x44cm
Bowl Dimensions: 50x40cm
Bowl Depth: 20cm
Min. Base Unit: 60cm
Waste Valve: Square






LUME (70X40) 1B

Outer Dimensions: 74x44cm
Bowl Dimensions: 70x40cm
Bowl Depth: 20cm
Min. Base Unit: 80cm
Waste Valve: Square



Lydia Series (Undermount Type)






LYDIA (17X40) 1B

Outer Dimensions: 21x44cm
Bowl Dimensions: 17x40cm
Bowl Depth: 14cm
Min. Base Unit: 30cm
Waste Valve: Ø92mm






LYDIA (40X40) 1B

Outer Dimensions: 44x44cm
Bowl Dimensions: 40x40cm
Bowl Depth: 20cm
Min. Base Unit: 45cm
Waste Valve: Ø92mm






LYDIA (50X40) 1B

Outer Dimensions: 54x44cm
Bowl Dimensions: 50x40cm
Bowl Depth: 20cm
Min. Base Unit: 60cm
Waste Valve: Ø92mm






LYDIA (70X40) 1B

Outer Dimensions: 74x44cm
Bowl Dimensions: 70x40cm
Bowl Depth: 20cm
Min. Base Unit: 80cm
Waste Valve: Ø92mm






LYDIA (77X46) 2B

Outer Dimensions: 77,6x45,6cm
Bowl Dimensions: 34x40cm / 34x40cm
Bowl Depth: 20cm / 20cm
Min. Base Unit: 80cm
Waste Valves: Ø92mm

Relia Series (Undermount Type)






RELIA (40X40) 1B

Outer Dimensions: 43,6x43,6cm
Bowl Dimensions: 40,1x40,1cm
Bowl Depth: 18cm
Min. Base Unit: 45cm
Waste Valve: Ø92mm






RELIA (50X40) 1B

Outer Dimensions: 52,4x42,4cm
Bowl Dimensions: 50x40cm
Bowl Depth: 18cm
Min. Base Unit: 60cm
Waste Valve: Ø92mm






RELIA (57X45) 1 1/2B Left

Outer Dimensions: 57,3x45cm
Bowl Dimensions: 33,15x40cm/16,15x40cm
Bowl Depth: 18cm / 12cm
Min. Base Unit: 60cm
Waste Valves: Ø92mm






RELIA (57X45) 1 1/2B Right


Outer Dimensions: 57,3x45cm
Bowl Dimensions: 16,15x40cm / 33,15x40cm
Bowl Depth: 12cm / 18cm
Min. Base Unit: 60cm
Waste Valves: Ø92mm





RELIA (74X45) 2B


Outer Dimensions: 74,3x45cm
Bowl Dimensions: 33,15x40cm / 33,15x40cm
Bowl Depth: 18cm / 18cm
Min. Base Unit: 80cm
Waste Valves: Ø92mm





Zeria Series (Flushmount Type)






ZERIA (46,2X45,7) 1B

Sink Dimensions: 46,2x45,7cm
Bowl Dimensions: 40x33,15cm
Bowl Depth: 18cm
Min. Base Unit: 45cm
Waste Valve: Ø92mm






ZERIA (56,2X52,7) 1B

Sink Dimensions: 56,2x52,7cm
Bowl Dimensions: 50x40cm
Bowl Depth: 18cm
Min. Base Unit: 60cm
Waste Valve: Ø92mm






ZERIA (58X52,7) 1 1/2B Left

Sink Dimensions: 58x52,7cm
Bowl Dimensions: 33,15x40cm / 16,15x40cm
Bowl Depth: 18cm / 12cm
Min. Base Unit: 60cm
Waste Valves: Ø92mm






ZERIA (58X52,7) 1 1/2B Right

Sink Dimensions: 58x52,7cm
Bowl Dimensions: 16,15x40cm / 33,15x40cm
Bowl Depth: 12cm / 18cm
Min. Base Unit: 60cm
Waste Valves: Ø92mm






ZERIA (75,2X52,7) 2B

Sink Dimensions: 75,2x52,7cm
Bowl Dimensions: 33,15x40cm / 33,15x40cm
Bowl Depth: 18cm / 18cm
Min. Base Unit: 80cm
Waste Valves: Ø92mm

Basic Series (Inset Type)






E33 (46,5X43,5)

Sink Dimensions: 46,5x43,5cm
Bowl Dimensions: 36,5x33,5cm
Bowl Depth: 15cm
Min. Base Unit: 40cm
Waste Valve: Ø92mm






CA1 (86X43,5)

Sink Dimensions: 86x43,5cm
Bowl Dimensions: 36,5x33,5cm
Bowl Depth: 15cm
Min. Base Unit: 50cm
Waste Valve: Ø92mm





CRETA (75,5X48) 1B 1D


Sink Dimensions: 75,5x48cm
Bowl Dimensions: 34x40cm
Bowl Depth: 15cm
Min. Base Unit: 45cm
Waste Valves: Ø92mm





Space Series (Inset Type)






SPACE PLUS (61X48) 1B

Sink Dimensions: 61x48cm
Bowl Dimensions: 50x40cm
Bowl Depth: 21cm
Min. Base Unit: 60cm
Waste Valve: Ø92mm






SPACE PLUS (96X48) 1B 1D

Sink Dimensions: 96x48cm
Bowl Dimensions: 50x40cm
Bowl Depth: 21cm
Min. Base Unit: 60cm
Waste Valve: Ø92mm






SPACE PLUS (96X48) 2B

Sink Dimensions: 96x48cm
Bowl Dimensions: 50x40cm / 36,5x33,5cm
Bowl Depth: 21cm / 15cm
Min. Base Unit: 100cm
Waste Valve: Ø92mm






SPACE MINI (96X48) 2B

Sink Dimensions: 96x48cm
Bowl Dimensions: 34x40cm / 16,5x29cm / 34x40cm
Bowl Depth: 19cm / 13cm / 19cm
Min. Base Unit: 100cm
Waste Valve: Ø92mm

Tico Series (Inset Type)



MATERIAL THICKNESS 1,2mm!




TICO (100X50) 1B 1D

Sink Dimensions: 100x50cm
Bowl Dimensions: 40x40cm
Bowl Depth: 21cm
Min. Base Unit: 50cm
Waste Valve: Ø92mm

MATERIAL THICKNESS 1,2mm!






TICO (116X50) 1B 1D

Sink Dimensions: 116x50cm
Bowl Dimensions: 50x40cm
Bowl Depth: 21cm / 13cm
Min. Base Unit: 60cm
Waste Valves: Ø92mm

MATERIAL THICKNESS 1,2mm!





TICO (131X50) 2B 1D


Sink Dimensions: 131x51cm
Bowl Dimensions: 40x40cm / 40x40cm
Bowl Depth: 21cm / 21cm
Min. Base Unit: 90cm
Waste Valves: Ø92mm





Corner Series (Inset Type)






MEDUSA CORNER (96X50) 1 1/2B 2D

Sink Dimensions: 95x50cm
Bowl Dimensions: 34x40cm / 13,5x26cm
Bowl Depth: 19cm / 11cm
Min. Base Unit: 60cm
Waste Valves: Ø92mm / Ø60mm






NEFELI (102X55) 1 1/2B 21D

Sink Dimensions: 102x55cm
Bowl Dimensions: 34x40cm / 16,5x29cm
Bowl Depth: 19cm / 13cm
Min. Base Unit: 60cm
Waste Valves: Ø92mm






CELESTE (83X83) 2B 1D LH

Sink Dimensions: 83x83cm
Bowl Dimensions: 34x39cm / 33x33cm
Bowl Depth: 22cm / 22,5cm
Min. Base Unit: 80cm
Waste Valves: Ø92mm

Athena Series (Inset Type)






ATHENA EXTRA (86X50) 1B 1D

Sink Dimensions: 86x50cm
Bowl Dimensions: 34x40cm
Bowl Depth: 20cm
Min. Base Unit: 45cm
Waste Valves: Ø92mm






ATHENA (86X50) 2B

Sink Dimensions: 86x50cm
Bowl Dimensions: 34x40cm / 34x40cm
Bowl Depth: 20cm
Min. Base Unit: 80cm
Waste Valves: Ø92mm






ATHENA (100X50) 1 1/2B 1D


Sink Dimensions: 100x50cm
Bowl Dimensions: 34x40cm / 16,5x29cm
Bowl Depth: 20cm / 14cm
Min. Base Unit: 60cm
Waste Valves: Ø92mm






ATHENA EXTRA (116X50) 2B 1D

Sink Dimensions: 116x50cm
Bowl Dimensions: 34x40cm / 34x40cm
Bowl Depth: 20cm / 20cm
Min. Base Unit: 80cm
Waste Valves: Ø92mm



Amaltia Series (Inset Type)






AMALTIA (86X50) 1B 1D

Sink Dimensions: 86x50cm
Bowl Dimensions: 34x40cm
Bowl Depth: 19cm
Min. Base Unit: 45cm
Waste Valve: Ø92mm






AMALTIA / ARIADNE (86X50) 2B

Sink Dimensions: 86x50cm
Bowl Dimensions: 34x40cm
Bowl Depth: 19cm / 19cm
Min. Base Unit: 80cm
Waste Valves: Ø92mm






AMALTIA PLUS (86X50) 2B

Sink Dimensions: 86x50cm
Bowl Dimensions: 45x40cm / 30x34cm
Bowl Depth: 21cm / 18cm
Min. Base Unit: 90cm
Waste Valve: Ø92mm






AMALTIA (100X50) 1 1/2B 1D

Sink Dimensions: 100x50cm
Bowl Dimensions: 34x40cm / 16,5x29cm
Bowl Depth: 19cm / 13cm
Min. Base Unit: 60cm
Waste Valves: Ø92mm






AMALTIA (116X50) 2B 1D

Sink Dimensions: 116x50cm
Bowl Dimensions: 34x40cm / 34x40cm
Bowl Depth: 19cm / 19cm
Min. Base Unit: 80cm
Waste Valves: Ø92mm



Sparta Series (Inset Type)






SPARTA (86X50) 1B 1D

Sink Dimensions: 86x50cm
Bowl Dimensions: 34x40cm
Bowl Depth: 16cm
Min. Base Unit: 45cm
Waste Valve: Ø92mm






SPARTA (86X50) 2B

Sink Dimensions: 86x50cm
Bowl Dimensions: 34x40cm / 34x40cm
Bowl Depth: 16cm / 16cm
Min. Base Unit: 80cm
Waste Valve: Ø92mm






SPARTA (100X50) 1 1/2B 1D

Sink Dimensions: 100x50cm
Bowl Dimensions: 34x40cm / 16x30cm
Bowl Depth: 16cm / 10cm
Min. Base Unit: 60cm
Waste Valve: Ø92mm






SPARTA (116X50) 2B 1D

Sink Dimensions: 116x50cm
Bowl Dimensions: 34x40cm / 34x40cm
Bowl Depth: 16cm / 16cm
Min. Base Unit: 80cm
Waste Valves: Ø92mm



Titan Series (Inset Type)






TITAN (86X50) 1B

Sink Dimensions: 86x50cm
Bowl Dimensions: 75x41,5cm
Bowl Depth: 21cm
Min. Base Unit: 90cm
Waste Valve: Ø92mm






TITAN (116X50) 1B 1D

Sink Dimensions: 116x50cm
Bowl Dimensions: 75x41,5cm
Bowl Depth: 21cm
Min. Base Unit: 90cm
Waste Valve: Ø92mm








ROYAL MINI

Sink Dimensions: Ø35,5cm
Bowl Dimensions: Ø30,5cm
Bowl Depth: 18cm

Min. Base Unit: 40cm
Waste Valve: Ø60mm

Bowl Series (Inset Type)






KIBA SQUARE (46,5X40,5) 1B

Sink Dimensions: 46,5x40,5cm
Bowl Dimensions: 40x34cm
Bowl Depth: 16cm

Min. Base Unit: 45cm
Waste Valve: Ø92mm






ATRIA (57,5X50,5) 1B

Sink Dimensions: 57,5x50,5cm
Bowl Dimensions: 48x34cm
Bowl Depth: 19cm

Min. Base Unit: 60cm
Waste Valve: Ø92mm






KIBA (Ø48,5) 1B

Sink Dimensions: Ø48,5cm
Bowl Dimensions: Ø38,5cm
Bowl Depth: 17,3cm

Min. Base Unit: 45cm
Waste Valve: Ø92mm






CR (Ø45) 1B

Sink Dimensions: Ø45cm
Bowl Dimensions: Ø38,5cm
Bowl Depth: 16cm

Min. Base Unit: 45cm
Waste Valve: Ø92mm






ROYAL

Sink Dimensions: Ø45cm
Bowl Dimensions: Ø38,5cm
Bowl Depth: 17cm


Min. Base Unit: 45cm
Waste Valve: Ø60mm





International Series (Onset Type)






INTERNATIONAL (80X60) 1B 1D

Sink Dimensions: 80x60cm
Bowl Dimensions: 34x40cm
Bowl Depth: 16cm
Min. Base Unit: 45cm
Waste Valve: Ø60mm






INTERNATIONAL (150X60) 2B 1D 40X40X20cm

Sink Dimensions: 150x60cm
Bowl Dimensions: 40x40cm / 40x40cm
Bowl Depth: 21cm
Min. Base Unit: 90cm
Waste Valve: Ø92mm






INTERNATIONAL (100X50) 1B 1D

Sink Dimensions: 100x50cm
Bowl Dimensions: 36,5x33,5cm
Bowl Depth: 16cm
Min. Base Unit: 45cm
Waste Valve: Ø60mm






INTERNATIONAL (150X50) 2B 2D

Sink Dimensions: 150x50cm
Bowl Dimensions: 33,5x36,5cm/33,5x36,5cm
Bowl Depth: 16cm
Min. Base Unit: 85cm
Waste Valve: Ø60mm






INTERNATIONAL (100X60) 1B 1D

Sink Dimensions: 100x60cm
Bowl Dimensions: 34x40cm
Bowl Depth: 16cm
Min. Base Unit: 45cm
Waste Valve: Ø60mm






INTERNATIONAL (150X60) 2B 2D

Sink Dimensions: 150x60cm
Bowl Dimensions: 33,5x36,5cm/33,5x36,5cm
Bowl Depth: 16cm
Min. Base Unit: 85cm
Waste Valve: Ø60mm






INTERNATIONAL (120X50) 2B 1D

Sink Dimensions: 120x50cm
Bowl Dimensions: 34x40cm / 34x40cm
Bowl Depth: 16cm
Min. Base Unit: 80cm
Waste Valve: Ø60mm






INTERNATIONAL (180X50) 2B 2D

Sink Dimensions: 180x50cm
Bowl Dimensions: 36,5x33,5cm/36,5x33,5cm
Bowl Depth: 16cm
Min. Base Unit: 85cm
Waste Valve: Ø60mm






INTERNATIONAL (120X60) 2B 1D

Sink Dimensions: 120x60cm
Bowl Dimensions: 34x40cm / 34x40cm
Bowl Depth: 16cm
Min. Base Unit: 80cm
Waste Valve: Ø60mm





INTERNATIONAL (180X60) 2B 2D

Sink Dimensions: 180x60cm
Bowl Dimensions: 36,5x33,5cm/36,5x33,5cm
Bowl Depth: 16cm
Min. Base Unit: 85cm
Waste Valve: Ø60mm






Pyragranite Series (Inset Type)

Pyragranite sinks consist of 80% natural quartz (silica), while the remaining 20% of the mixture consists of resins and enhancing substances. You can find the PYRAMIS Pyragranite Sinks in 6 different colors. Underneath each model you can find included and other suitable valves and siphons.

Pyragranite sinks show high heat resistance even after contact with an object at 200°C. They can resist an impact of an 1kg object dropped from a height of 70cm. They also exhibit high hardness qualities, thus providing increased anti-scratch behavior. They do not discolor even if they come in contact with domestic cleaning kitchen products. Mold, stains and unpleasant smells are often caused by bacteria. Pyragranite homogenous, without pores, surface prevents bacteria accumulation making your sink cleaner and safer.






ATHLOS (86X50) 1B 1D

Sink Dimensions: 86x50cm
Bowl Dimensions: 36,5x42cm
Bowl Depth: 19.6cm
Min. Base Unit: 45cm
Waste Valve: Ø92mm

Color	Ar. Number	Waste valve	Packaging
SNOW	070038911	Ø92mm	1 Item / Carton Box
CARBON	070039011	Ø92mm	1 Item / Carton Box
BEIGE	070039111	Ø92mm	1 Item / Carton Box
MOCHA	070039211	Ø92mm	1 Item / Carton Box
CHOCOLATE	070039311	Ø92mm	1 Item / Carton Box
IRON GREY	070039411	Ø92mm	1 Item / Carton Box

Carton box includes: Waste valve & space saver siphon






ATHLOS (100X50) 1 1/2B 1D

Sink Dimensions: 100x50cm
Bowl Dimensions: 31,5x42cm / 16x34cm
Bowl Depth: 19.6cm / 16cm
Min. Base Unit: 60cm
Waste Valve: Ø92mm

Color	Ar. Number	Waste valves	Packaging
SNOW	070010511	Ø92mm	1 Item / Carton Box
CARBON	070010611	Ø92mm	1 Item / Carton Box
BEIGE	070010711	Ø92mm	1 Item / Carton Box
MOCHA	070010811	Ø92mm	1 Item / Carton Box
CHOCOLATE	070038711	Ø92mm	1 Item / Carton Box
IRON GREY	070038811	Ø92mm	1 Item / Carton Box

Carton box includes: Waste valves & space saver siphon





ATHLOS (116X50) 2B 1D

Sink Dimensions: 116x50cm
Bowl Dimensions: 33,5x42cm / 33,5x42cm
Bowl Depth: 20.5cm / 20,5cm
Min. Base Unit: 80cm
Waste Valve: Ø92mm

Color	Ar. Number	Waste valves	Packaging
SNOW	070039511	Ø92mm	1 Item / Carton Box
CARBON	070039611	Ø92mm	1 Item / Carton Box
BEIGE	070039711	Ø92mm	1 Item / Carton Box
MOCHA	070039811	Ø92mm	1 Item / Carton Box
CHOCOLATE	070039911	Ø92mm	1 Item / Carton Box
IRON GREY	070042611	Ø92mm	1 Item / Carton Box

Carton box includes: Waste valves & space saver siphon



Valves & Siphons



Waste valve Ø60 with ring stopper



Waste valve Ø92



Square waste valve



Waste valve Ø60 with bowl overflow



Waste valve Ø92 with bowl overflow



Square waste valve with rectangular overflow



Waste valve Ø52 -Ø60 with round bowl overflow



Pop up waste valve Ø92 with bowl overflow



Pop up square waste valve with rectangular overflow



Siphon for sinks with 1 bowl



Siphon for sinks with 1 1/2B



Siphon for sinks with 2B



Siphon for sinks with 2 1/2 bowls

Waste Disposers

Classic Waste Disposer

Ar. Number
037000101



Power: 375W (1/2HP)
Diameter (mm): 179,9
Weight (kg): 3,8
Height (mm): 356,6
Motor Type: Magnetic
Volume Capacity (ml): 1100
Rotation Speed (r/min): 2600
Main Body Material: Antibacterial - Synthetic
Knife Material: Stainless Steel

Aluminum Flexible Tube

Aluminum Flexible Tube 5" (4M)
Aluminum Flexible Tube 5" (8M)
Aluminum Flexible Tube 6" (8M)



Accessories

Stainless Steel 304 Round Soap Dispenser

Ar. Number
028102201



Capacity: 350ml

Stainless Steel 304 Square Soap Dispenser

Ar. Number
028102301



Capacity: 350ml

Stainless Steel 304 Colander with 1.5mm holes

Ar. Number
525007801



Colander Dimension: 42.5 x 20.5 cm
Depth: 15cm

Stainless Steel 304 Colander with 0.5mm holes

Ar. Number
525001901



Colander Dimension: 42.5 x 20.5 cm
Depth: 15cm

Stainless Steel 304 Adjustable Colander

Ar. Number
525002001



Dimensions: 31.5 cm (up to 45.5 cm) x 21.5 cm
Depth: 7.5 cm

Stainless Steel 304 Waste Valve with Basket

Ar. Number
521007801



Waste valve Ø92mm With Basket

PYRAMIS



Kitchen Taps

1. Cartridge
New type of cartridge that makes it possible to optimize consumption, avoid useless energy overloads and reduces noise significantly (Sound Free).

2. Aerator
Air Force aerators with fl ow limiters, small devices installed to the tap, which, by mixing water with air, allow up to 30% water saving, while obtaining a better flowjet (WRAS certified).

3. Certified Raw Material
Brass alloy of quality and composition in compliance with the highest international standards, and low lead levels according to the European Directives EN 1982:2000, EN 12165:99 & EN 12164:01 (Lead Approved).

4. Galvanization – Pure Water Process
An innovative and pioneering galvanization method that prevents the leaching of toxic metals, such as lead and nickel, in drinking water by Pure Water Process (EN 248).

5. Hoses – Components
Environmental friendly components made of non-toxic material that do not affect the taste or scent of water, with excellent mechanical properties, and certified according to the international quality standards NSF, KTW, DVGW (Scent Free, Taste Free).


Product Advantages
Pure Water Process, Certified Raw Materials, Water & Energy Saving, Aerators with flow reducers, Ceramic Discs, Components made of non-toxic materials

KELA NEW!
Chrome
Brushed
Black




S.S. 304 Pull-out Single lever mixer with Ceramic Disc Mechanism

AVIA NEW!
Chrome
Brushed
Black



S.S. 304 Pull-out Single lever mixer with Ceramic Disc Mechanism

CALI NEW!
Chrome
Brushed
Black




S.S. 304 Pull-out Single lever mixer with Ceramic Disc Mechanism

DONA NEW!
Chrome
Brushed
Black




S.S. 304 Pull-out Single lever mixer with Ceramic Disc Mechanism

ELMA NEW!
Chrome
Brushed
Black



S.S. 304 Pull-out Single lever mixer with Ceramic Disc Mechanism

LEXI NEW!
Chrome
Brushed
Black




S.S. 304 Pull-out Single lever mixer with Ceramic Disc Mechanism

ADRIA
Chrome



Single lever mixer Tap with Ceramic Disc Mechanism

ALEGRETO
Chrome




Dual lever mixer Tap with Ceramic Disc Mechanism

GUSTO
Chrome




Single lever mixer Tap with Ceramic Disc Mechanism

CALANTO
Chrome



Pull-out Single lever mixer Tap with Ceramic Disc Mechanism

ARMONICA
Chrome




Single lever mixer Tap with Ceramic Disc Mechanism

ALTISSIMO
Chrome




Single lever mixer Tap with Ceramic Disc Mechanism

RISOLUTO Chrome




Single lever mixer Tap
with Ceramic Disc Mechanism

ARIOSO Chrome



Single lever mixer Tap
with Ceramic Disc Mechanism

ESPRESSIVO Chrome



Single lever mixer Tap
with Ceramic Disc Mechanism

EPOQUE Brushed



S.S. 304 Single lever mixer Tap
with Ceramic Disc Mechanism

PIZZICATA Brushed



S.S. 304 Single lever mixer Tap
with Ceramic Disc Mechanism

RALLENTA Brushed



S.S. 304 Single lever mixer Tap
with Ceramic Disc Mechanism

TUBA Brushed




S.S. 304 Pull-out Single lever mixer Tap
with Ceramic Disc Mechanism

CAMPANA Brushed




S.S. 304 Pull-out Single lever mixer Tap
with Ceramic Disc Mechanism

SERENO Chrome




Single lever mixer Tap
with Ceramic Disc Mechanism

MODO Chrome




Long spout Single lever mixer Tap
with Ceramic Disc Mechanism

ACCEL Chrome



Long spout Single lever mixer Tap
with Ceramic Disc Mechanism

FESTIVO Chrome




Pull-out Single lever mixer Tap
with Ceramic Disc Mechanism

TRONTO Chrome



Single lever mixer Tap
with Ceramic Disc Mechanism

STRETO Chrome



Single lever mixer Tap
with Ceramic Disc Mechanism

STACCATTA Brushed



S.S. 304 Single lever mixer Tap
with Ceramic Disc Mechanism



Microwave Oven 31 Inox

Code: 034017901
Dimensions: 595x390x391mm
Net Capacity: 25L
Microwave Output Power (Watts): 900W
Voltage/Frequency (Hz): 220V~60Hz

Cover: Silver
Cavity: Stainless Steel
Panel: Push Button
Child Safety Lock: Yes



Microwave Oven 31 Black Glass

Code: 034018001
Dimensions: 595x390x391mm
Net Capacity: 25L
Microwave Output Power (Watts): 900W
Voltage/Frequency (Hz): 220V~60Hz

Cover: Black
Cavity: Black
Panel: Push Button
Child Safety Lock: Yes



Oven 60IN 2180 Black Glass

Code: 034013201
Dimensions: 595x575x595mm
Net Capacity: 75L
Max.rating power (W): 2800
Number of Functions: 10

Control Type: Soft-touch
Cooling Fan: Yes
Layers of Door Glass: 3
Inner Light (W): 15



OVEN 90IN 2170 INOX

Code: 034005501
Dimensions: 900x545x650mm
Net Capacity: 85 L

Mechanical thermostat 50°C-250°C
Removal glass window
and door Shelf layers
Energy A class
Child lock-Electronic control lock
Power supply 220-240V-50/60Hza



Oven 60IN 2185 Black Glass & Inox

Code: 034013301
Dimensions: 595x575x595mm
Net Capacity: 75L
Max.rating power (W): 2800
Number of Functions: 10

Control Type: Soft-touch
Cooling Fan: Yes
Layers of Door Glass: 3
Inner Light (W): 15



Built - In Refrigerator BBI 177

Code: 031000803
Dimensions: 177 x 54 x 55cm
Net Capacity: 256L
Freezer: 73L
Noise Level: 42dB
Energy Efficiency: Class A

Double Door
Automatic Defrosting
4 Adjustable Tempered Glass Shelves
Medical Compartment
3 Drawer Compartment for Freezer
2 Vegetable Drawer for Freezer
Accessories: Ice Cubes & Ice Tray

GAS HOBS



2 Gas Burners Glass Hob with Aluminum Bar

Code: 030030201
Dimensions: 300x500mm
Cut-Out Size: 278x478mm
Rated Heat Flow (kw): 3.2 ; 1.65
8mm Tempered Black Glass Panel

Front Knob Control
Cast Iron Pan Support
Aluminuim Gas Valves
Under Knob Auto-Ignition Battery



4 Gas Burners Glass Hob with Aluminum Frame

Code: 030030701
Dimensions: 580x500mm
Cut-Out Size: 545x465mm
Rated Heat Flow (kw): 3.2 ; 1.65 ; 1.65 ; 1.0
8mm Tempered Black Glass Panel

Front Knob Control
Cast Iron Pan Support
Aluminuim Gas Valves
Under Knob Auto-Ignition Battery



4 Gas Burners Stainless Steel Hob

Code: 030030601
Dimensions: 580x500mm
Cut-Out Size: 560x480mm
Rated Heat Flow (kw): 3.2 ; 1.65 ; 1.65 ; 1.0
Stainless Steel Panel

Front Knob Control
Cast Iron Pan Support
Aluminuim Gas Valves
Under Knob Auto-Ignition Battery



GAS HOB 60CS 460 INOX

Code: 034000201
Dimensions: 580x500mm
Cut-Out Size: 560x480mm
Rated Heat Flow (kw):3.2; 1.65; 1.65; 1.0
Stainless Steel Panel

Front Knob Control
Enameled Pan Support
Aluminium Gas Valves
Under Knoib Auto-Ignition Battery

CERAMIC HOBS



Ceramic Hob 29RD 232 Touch

Code: 030029601
Dimensions: 300x520mm
Cut-Out Size: 275 x 495mm
Power: 1800W + 1200W
Power Supply: 220~240V - 50/60Hz
A-Vitro Ceramic Glass

Sensor Touch Control
Electronic 99 minute minder auto-off
LED Display
Child Safety Lock



Ceramic Hob 90HL 634 Touch

Code: 030031001
Dimensions: 900x350mm
Cut-Out Size: 875x325mm
Power: (1100-2200W)+1200W +
(1100-1000W)+1200W
Power Supply: 220~240V - 50/60Hz

Power Supply: 220~240V - 50/60Hz
A-Vitro Ceramic Glass
Sensor Touch Control
Electronic 99 minute minder auto-off
LED Display
Child Safety Lock




Ceramic Hob 90HL 635 with Knob

Code: 030031101
Dimensions: 900x350mm
Cut-Out Size: 875x325mm
Power: (1100-2200W)+1200W +
(1100-1000W)+1200W
Power Supply: 220~240V - 50/60Hz

Power Supply: 220~240V - 50/60Hz
A-Vitro Ceramic Glass
Front Knob Control
Electronic 99 minute minder auto-off
LED Display
Child Safety Lock




NEW!




Ceramic Hob 2 Highlight Zone

Code: 174020010
Dimensions: 290x510x50mm
Cut-Out Size: 490x270mm
Power: 1800W + 1200W
Function Levels: 9
Residual Heat Indicator: Yes
Timer: Yes
Touch Control
Overflow Safety Device: Yes
Safety Lock: Yes
Finish: Frameless, Black Glass




NEW!




Ceramic Hob 4 Highlight Zone

Code: 174020030
Dimensions: 580x510x50mm
Cut-Out Size: 560x490mm
Power: 1200W + 2300W + 1800W + 1200W
Function Levels: 9
Residual Heat Indicator: Yes
Timer: Yes
Touch Control
Overflow Safety Device: Yes
Safety Lock: Yes
Finish: Frameless, Black Glass




NEW!




Ceramic Hob 4 Highlight Zone with INOX Frame

Code: 174020040
Dimensions: 580x510x50mm
Cut-Out Size: 560x490mm
Power: 1200W + 2300W + 1800W + 1200W
Function Levels: 9
Residual Heat Indicator: Yes
Timer: Yes
Touch Control
Overflow Safety Device: Yes
Safety Lock: Yes
Finish: Inox Frame, Black Glass




NEW!




Ceramic Hob 6 Highlight Zone with Beveled Front

Code: 174020070
Dimensions: 580x510x50mm
Cut-Out Size: 560x490mm
Power: 1200W + 2200W + 2200W + 1200W
Function Levels: 9
Residual Heat Indicator: Yes
Timer: Yes
Touch Control
Overflow Safety Device: Yes
Safety Lock: Yes
Finish: Beveled Front, Black Glass




NEW!




Ceramic Hob 2 Highlight Zone

Code: 174020020
Dimensions: 290x510x50mm
Cut-Out Size: 490x270mm
Power: 1800W + 1200W
Function Levels: 9
Residual Heat Indicator: Yes
Timer: Yes
Touch Control
Overflow Safety Device: Yes
Safety Lock: Yes
Finish: Frameless, White Glass




NEW!




Ceramic Hob 5 Highlight Zone

Code: 174020050
Dimensions: 580x510x50mm
Cut-Out Size: 560x490mm
Power: 1200W + 2200W + 1800W + 1200W
Function Levels: 9
Residual Heat Indicator: Yes
Timer: Yes
Touch Control
Overflow Safety Device: Yes
Safety Lock: Yes
Finish: Frameless, White Glass

INDUCTION HOBS






Induction Hob 2 Zones

Code: 174020090
Dimensions: 290x520mm
Cut-Out Size: 270x490mm
Power: (1800-2000W) + (1200-1500W)
Function Levels: 9

Residual Heat Indicator: Yes
Timer: Yes
Touch Control
Overflow Safety Device: Yes
Safety Lock: Yes
Finish: Frameless





Induction Hob 4 Zones

Code: 174020080
Dimensions: 590x520x52mm
Cut-Out Size: 560x490mm
Power: (1800-2100W) + (1200-1400W)
(1500-1800W) + (1200-1400W)
Function Levels: 9

Residual Heat Indicator: Yes
Timer: Yes
Touch Control
Overflow Safety Device: Yes
Safety Lock: Yes
Finish: Frameless







Cookerhood Standard 60cm

Length: 60cm
Airflow: 350m³/h
3 Speed Motor
Available Color: White - code: 065302501
Brown - code: 065302601
Voltage / Frequency: 220~240/50 V/Hz
Input power: 160W
Noise level: ≤54dB
Turbo Capacitor Motor
Power: 60W
Thickness: 0.6mm
Type of Power Switch: Push Button
Type of light / Power: 2×40 n° / W (Normal)
Grease Filter: 2

Cookerhood Standard 90cm

Length: 90cm
Airflow: 450m³/h
3 Speed Motor
Available Color: White - code: 065302801
Brown - code: 065302901
Inox - code: 065303001
Voltage / Frequency: 220~240/50 V/Hz
Input power: 160W
Noise level: ≤54dB
Turbo Capacitor Motor
Power: 60W
Thickness: 0.6mm
Type of Power Switch: Push Button
Type of light / Power: 2×40 n° / W (Normal)
Grease Filter: 2





Cookerhood Chimney 60cm

Code: 065303201
Length: 60cm
Airflow: 850m³/h
3 Speed Motor
Voltage / Frequency: 230/50 V/Hz
Input power: 160W
Noise level: 52dB
Turbo Capacitor Motor Power: 120W
Thickness: 0.5mm
Type of Power Switch: Push Button
Type of light / Power: 2× 40 n° / W (Normal)
Grease Filter: 2

Cookerhood Chimney 90cm

Code: 065303301
Length: 90cm
Airflow: 1000m³/h
3 Speed Motor
Voltage / Frequency: 230/50 V/Hz
Input power: 160W
Noise level: 52dB
Turbo Capacitor Motor Power: 120W
Thickness: 0.5mm
Type of Power Switch: Push Button
Type of light / Power: 2× 40 n° / W (Normal)
Grease Filter: 3





Curvo

Length : 90cm
Airflow: 1000m³/h
Available Color: Red - code: 065023501
White - code: 065023401
Voltage / Frequency: 230/50 V/Hz
Input power: 200W
Lamp Power: 2x1.5W LED
Turbo Capacitor Motor
Noise level: 52dB
Sensor Touch Control
Speed: 3 levels
Metal blower box

Sliding Hood

Size: 60cm
Code: 065035101
Voltage/Frequency: 220~240/50 (V/Hz)
Input Power: 122W
Lamp Power: 1x2W LED lamp n°x W
Color: 430 Stainless Steel
Airflow: 600m³/h
Noise level: 60dB
Type of Switch: 3 speeds rocker
Speed: 3 levels
Number of Motor: 1

Size: 90cm
Code: 065035201
Voltage/Frequency: 220~240/50 (V/Hz)
Input Power: 122W
Lamp Power: 1x2W LED lamp n°x W
Color: 430 Stainless Steel
Airflow: 700m³/h
Noise level: 65dB
Type of Switch: 3 speeds rocker
Speed: 3 levels
Number of Motor: 1



Curvo Plus

Code: 065032201
Length: 90cm
Airflow: 1000m³/h
Power supply: 220-240V ~ 50/60Hz
Motor power input: 200W
Speed: 3 levels
Noise level: 56dB
Sensor Touch Control
With smoke sensor and remote
Copper motor



Ombrello

Length : 90cm
Airflow: 750m³/h
Available Color: Black - code: 065006701
White - code: 065023601
Power supply: 220-240V ~ 50/60Hz
Motor power input: 180W
Speed: 3 levels
Noise level: 56dB
Sensor Touch Control
With smoke sensor
and remote



Venero 60cm

Length : 60cm
Extraction Rate (Ducted m³h): 550
Available Color: Red - code: 065008601
White - code: 065008401
Turbo capacitor: 120W
Speed: 3 levels
Noise level: 56dB
Lamps / Power (n°xw):
LED 2 x 1.5
Control Type: Push Button



Venero 90cm

Length : 90cm
Extraction Rate (Ducted m³h): 550
Available Color: Red - code: 065008701
Black - code: 065014901
Turbo capacitor: 120W
Speed: 3 levels
Noise level: 56dB
Lamps / Power (n°xw):
LED 2 x 1.5
Control Type: Push Button



Vetro 90cm

Code : 065006501
Length : 90cm
Airflow: 1000m³/h
Power supply: 220-240V ~ 50/60Hz
Motor power input: 200W
Speed: 3 levels
Noise level: 56dB
Sensor Touch Control
With smoke sensor and remote



Vetro Plus 90cm

Code : 065032301
Length : 90cm
Airflow: 750m³/h
Power supply: 220-240V ~ 50/60Hz
Motor power input: 180W
Speed: 3 levels
Noise level: 56dB
Sensor Touch Control
With smoke sensor and remote

PYRAMIS

PYRAMIS UAE L.L.C.

Ground Floor, Shop # 2, Al Fattan Bldg,
Industrial 1, Damascus St.,
Dubai, United Arab Emirates

Tel: (00971) 4-2632220 / (00971) 4-2503770

Email : pyramis@emirates.net.ae
Website: www.pyramisgroup.com

Dealers / Affiliates:
Assurance Trading Co. LLC
No. 31, Assurance Bldg., Ramlah Road, Old Ind. Area
Umm Al Quwain, United Arab Emirates
Tel: (00971) 6-7664122

Assurance Trading & Agencies
P.O. Box 30403, Abu Dhabi
United Arab Emirates
Tel: (00971) 2-5546440

Assurance TrCo-Br Shj
P.O. Box 41, Sharjah
United Arab Emirates
Tel: (00971) 6-5423020

Assurance Trading & Agencies
Saniya St. # 2, Al Ain
United Arab Emirates
Tel: (00971) 3-7211809



